

## XI'AN FUNCTION MATERIAL GROUP CO., LTD

# Material Safety Data Sheet Aluminum Fluoride

## 1. Product and Company Identification

Trade Name: Aluminum fluoride

Chemical Formula: AlF<sub>3</sub>

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shannxi
Zip Code: 710077
Country: China

Tel#: +86-29-88993870/+86-13519132051

#### 2. Hazards Identification

Signal Word: Danger



Hazard Statements: H300 Fatal if swallowed

H314 Causes severe skin burns and eye damage

Precautionary Statements: P260 Do not breathe dust/fume/vapor

P301+P310 If swallowed: immediately call a poison center/doctor P303+P361+P353 If on skin or hair: take off all contaminated clothing.

Rinse with water.

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

HMIS Health Ratings (0-4):

Health: 3
Flammability: 0
Physical: 1

# 3. Composition

Chemical Family: Salt

Additional Names: Aluminum trifluoride

Aluminum fluoride (AlF<sub>3</sub>):

Percentage: 0-100 wt% CAS #: 7784-18-1 EC #: 232-051-1

4 First Aid Drogoduros

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion: Do not induce vomiting; call for medical help.

Skin: Wash affected area with mild soap and water. Remove any

contaminated clothing.

Eyes: Flush eyes with water, blinking often for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

5. Firefighting Measures

Flammability: Non-flammable

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes. See section 10 for

decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Use neutralizing agent.

Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 2.5 mg/m³ as F, long-term value Threshold Limit Value: 2.5 mg/m³ as F, long-term value

Special Equipment: None

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eve Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Phy	vsical and Chemical Characteristics			
Color	White			
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts Odorless			
Odor:				
Water Solubility:	$6.7~\mathrm{g/L}$			
Boiling Point:	Sublimes 1291 °C N/A			
Melting Point:				
Flash Point:				
Autoignition Temperature:	N/A			
Density:	2.88 g/cc 83.9767 g/mol			
Molecular weight:				
	10. Reactivity			
Stability:	Stable under recommended storage conditions			
Reacts With:	Oxidizing agents, Water			
Incompatible Conditions:	Moisture			
Hazardous Decomposition Products:	Metal oxide fume			
	11. Toxicological Information			
Potential Health Effects:				
Eyes:	Causes serious damage			
Skin:	Causes severe skin damage			
Ingestion:	Toxic. Corrosive effect on mouth and throat; danger of perforation of			
	esophagus and stomach.			
Inhalation:	Causes serious damage			
Chronic:	Fluorides may cause salivation, nausea, vomiting, diarrhea and			
	abdominal pain, followed by weakness, tremors, shallow respiration,			
	convulsions and coma. May cause brain and kidney damage. Chronic			
	fluoride poisoning can cause severe bone changes, loss of weight,			
	anorexia, anemia and dental defects.			
	Aluminum may be implicated in Alzheimer's disease. Inhalation of			
	aluminum containing dusts may cause pulmonary disease.			
Signs & Symptoms:	N/A			
Aggravated Medical Conditions:	N/A			
Median Lethal Dose:	600 mg/kg			
Carcinogen:	N/A			
	12. Ecological Information			
Aquatic Toxicity:	Mild			
Persistent Bioaccumulation Toxicity:	No			
Very Persistent, Very Bioaccumulative				
Notes:	N/A			
	13. Disposal Considerations			

Dispose of in accordance with local, state, national, and international regulations.

## 14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 8 Corrosive substances

Packing Group:

UN Number: UN3260

Proper Shipping Name: Corrosive solid, acidic, inorganic, n.o.s. (Aluminum fluoride)

Segregation group: Acids

			- 0	
15.	Regu	latorv	Inform	ation

Sec 302 Extremely Hazardous:
Sec 304 Reportable Quantities:
N/A
Sec 313 Toxic Chemicals:
No

### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 03/03/2017